

Motley
RANDOM DEEP SURFACE

600X1200

UNVEILING NATURE
GRANDEUR

County Series

www.oasistiles.in



County

Unveiling Natures Grandeur

Motley
RANDOM DEEP SURFACE



TILES & SANITARYWARE

Motley

RANDOM DEEP SURFACE

Introducing "**Motley**" our innovative porcelain tile series designed for those who appreciate the beauty of individuality. Each tile in this collection is a masterful blend of colors and patterns, reflecting a rich tapestry of inspiration that transforms any space into a personalized haven.

Perfectly crafted for both residential and commercial applications, "**Motley**" invites you to break away from the mundane and explore the endless possibilities of design. The collection's dynamic aesthetics create a sense of depth and character, allowing you to curate environments that resonate with your unique style.

Whether you're looking to make a bold statement or add subtle intrigue, "**Motley**" offers the versatility to achieve your vision. Embrace the unconventional and let your spaces tell a story that is distinctly yours. Experience the art of design with "**Motley**"—where every tile is a new adventure.

CHAIRMAN'S MESSAGE



MR. KARSHAN L. PATEL

Chairman

Oasis Tiles - India

www.oasistiles.in

ULTRA MODERN SURFACES FOR SPACES EXTRAORDINARY

Around the world, we've been witnessing technological advancement bringing in evolution to various industries. Likewise, the ceramic industry has also evolved from its primitive process of manufacturing tiles. This adaptation towards the contemporary changes has made India world's 3rd largest manufacturer across the globe.

The Oasis group is India's leading company in the manufacturing of Vitrified & Wall tiles and Sanitary ware products. An entity founded in 2006, has flourished its way to rapid success. crowned to be India's leading manufacturers in the ceramics industry. Oasis has been recently awarded as India's Greatest Brands & Leaders 2016-2017 chosen by consumer & industry and also awarded Power Brand India,

Industry Trendsetter 2017, storming its way to the top of ceramic tiles brands in India. With such a huge label that we carry with ourselves, our strength lies in the amount of time and technology we provide for the R&D department that allows us to come up with innovative and reliable solutions. To put those solutions into practice, we have got on board, most advanced technology, and machinery that we source from Italy and Spain.

These parameters have helped us to obtain a massive growth rate since, in the year 2007, we had commenced with the production capacity of 55,000 SqMtr. per day along with exclusive Sanitary-Ware plant with a total production capacity of 2,50,0000 pieces every year. All in all, with an extensive range of high gloss glazed Vitrified tiles. Glazed Vitrified Tiles, Glazed Outdoor Vitrified Tiles, FullBody Vitrified Tiles, Double Charge Vitrified Tiles, Glazed Ceramic Wall Tiles and exclusive Sanitary-Ware collection, we are enroute to fulfilling your own dream.



TILES & SANITARYWARE

Motley
RANDOM DEEP SURFACE



County CLEAR

County



County draws mineral strength and ancestral charm from quartzite, which it interprets in a contemporary key by balancing its graphic texture and preserving its natural shade variability. Thanks to the innovative RealUp technology, Origins is enriched with three dimensionality, giving the surface a unique depth and level of detail.



**600x1200 FOR
GREAT ARCHITECTURES.**

County is a stone effect with a strong and balanced character. The graphic look of the 60x120cm Random Deep Surfaces Porcelain tiles dresses the extensive surfaces disclosing a natural vocation for architecture.



WALL - Clear 600x1200mm 24x48
FLOOR - Clear 600x1200mm 24x48



WALL - Clear 600x1200mm 24x48
FLOOR - Clear 600x1200mm 24x48

**NEW INNOVATIVE
TECHNOLOGY**



County draws mineral strength and ancestral charm from quartzite, which it interprets in a contemporary key by balancing its graphic texture and preserving its natural shade variability. Thanks to the innovative RealUp technology, Origins is enriched with three dimensionality, giving the surface a unique depth and level of detail.



County LIGHT




WALL - Light 300x300mm 12x12
WALL - Light 600x1200mm 24x48
FLOOR - Light 600x600mm 24x24



**A NATURAL AFFINITY
WITH COLOUR.**

The four natural shades naturally welcome any colour declination. The combination with the Nuances collection creates original and refined colour and textural matches for a modern and sophisticated living space.



STONE EFFECT + SUBWAY



**A STONE LOOK DESIGNED
FOR CONTEMPORARY LIVING.**

The combination of collection is possible thanks to the total integration of sizes, mosaic modules and a deep design consistency. County and the other Oasis collections express a cultured and contemporary beauty, a natural Luxury, never flaunted.



STONE EFFECT + MOSAIC + SUBWAY



WALL - Clear 600x1200mm 24x48
FLOOR - Clear Mosaic 300x300mm 12x12

NATURAL LIVING PROJECTS.

County and Essence originate from a precise vision: stone and wood effect together, to create an aesthetic synergy in the name of comfort and performance of porcelain stoneware.



STONE EFFECT + SUBWAY + WOOD DESIGN





WALL - County Pewter 75x300mm
WALL - Deep 600x1200mm 24x48
FLOOR - American Beige Nat. 200x1200mm 8x48



RIGA LINNER

Three - dimensional surfaces that reflect the tactile and visual appeal of natural stone manufacturing.



STONE EFFECT + SUBWAY



WALL - Clear Riga Linner 600x1200mm 24x48
WALL - Clear 600x1200mm 24x48
FLOOR - Clear 600x1200mm 24x48



INDOOR-OUTDOOR DESIGN.

The DRIVEWAY surface is extra 16mm thickness originate a solid aesthetic bond between indoors and outdoors, allowing the living project to achieve the most complete aesthetic continuity.



WALL - Mid Plank 200x1200mm 8x48
FLOOR - Mid Slate 600x1200mm 24x48

County

Technical Info

PORCELAIN STONEWARE - RECTIFIED

PREMIUM TECHNOLOGY



DESIGN AND THREE DIMENSIONALITY
WITH AN UNPRECEDENTED SYNERGY



BENDING
STRENGTH



FROST
RESISTANCE



CHEMICALS
RESISTANCE



STAIN
RESISTANCE



ANSI A326.3 > 0,42
ROCKUP



ANSI A326.3 > 0,42
NATURAL / MATT



ANSI A326.3 > 0,42
ANTISLIP



R10 / A+B+C
ANTISLIP / DRIVEWAY



HEAVY TRAFFIC
Natural / Matt
RockUp
Antislip



V3
All Colours

COUNTY CLEAR



Slate / 16MM
60x120 "24x48"



Riga Linner
60x120 "24x48"



Slate
60x120 "24x48"

Sizes


	NAT	RIO
9.0 MM		
 60x120 . "24x48" NATURAL	☐	
 60x120 . "24x48" RIGA LINNER	☐	
 60x120 . "24x48" SLATE		☐
 60x60 . "24x24" NATURAL	☐	
16.0 MM		
 60x120 . "24x48" SLATE		☐



Natural
60x60 24"x24"

Natural
60x120 "24x48"

COUNTY MID



Slate / 16MM
60x120 "24x48"



Riga Linner
60x120 "24x48"




Slate
60x120 "24x48"

Sizes

	NAT	RIO
9.0 MM		
 60x120 . "24x48" NATURAL	□	
 60x120 . "24x48" RIGA LINNER	□	
 60x120 . "24x48" SLATE		□
 60x60 . "24x24" NATURAL	□	
<hr/>		
16.0 MM		
 60x120 . "24x48" SLATE		□



Natural
60x120 "24x48"



Natural
60x60 24"x24"

COUNTY LIGHT



Slate / 16MM
60x120 "24x48"




Riga Linner
60x120 "24x48"



Slate
60x120 "24x48"



Sizes

	NAT	RIO
9.0 MM		
 60x120 . "24x48" NATURAL	□	
 60x120 . "24x48" RIGA LINNER	□	
 60x120 . "24x48" SLATE		□
 60x60 . "24x24" NATURAL	□	
16.0 MM		
 60x120 . "24x48" SLATE		□




Natural
60x60 24"x24"

COUNTY DEEP



Natural
60x120 "24x48"




Riga Linner
60x120 "24x48"



Slate
60x120 "24x48"

Sizes

	NAT	RIO
 9.0 MM		
 60x120 . "24x48" NATURAL	□	
 60x120 . "24x48" RIGA LINNER	□	
 60x120 . "24x48" SLATE		□
 60x60 . "24x24" NATURAL	□	



Natural
60x60 24"x24"



Clear Slate Plank
95x120 "3.8x48" / 145x120 "5.8x48" / 195x120 "7.8x48"



Mid Slate Plank
95x120 "3.8x48" / 145x120 "5.8x48" / 195x120 "7.8x48"



Light Slate Plank
95x120 "3.8x48" / 145x120 "5.8x48" / 195x120 "7.8x48"



Deep Slate Plank
95x120 "3.8x48" / 145x120 "5.8x48" / 195x120 "7.8x48"



Orange
75x300mm "3x12"




Clear Mosaico
30x30 "12x12"




Clear Mosaico
30x30 "12x12"



Grey
75x300mm "3x12"



Mid Mosaico
30x30 "12x12"



Mid Mosaico
30x30 "12x12"



Green
75x300mm "3x12"




Light Mosaico
30x30 "12x12"




Light Mosaico
30x30 "12x12"



Pewter
75x300mm "3x12"



Deep Mosaico
30x30 "12x12"



Deep Mosaico
30x30 "12x12"

PACKAGING DETAILS

	PCS // BOX	SQFT // BOX	SQM // BOX	KGS // BOX
60x120 - 24x48 Natural	2	15.5	1.44	28.5 kg. App.
60x120 - 24x48 Slate	2	15.5	1.44	28.5 kg. App.
60x120 - 24x48 Riga Linner	2	15.5	1.44	28.5 kg. App.
60x60 - 24x48 Natural	4	15.5	1.44	28.5 kg. App.
60x120 - 24x48 Slate	2	15.5	1.44	52.00 kg.



TECHNICAL SPECIFICATIONS PORCELAIN STONEWARE

Technical features	Test Method	Requirements for nominal size N /			Matte Matte ± 9 mm
		7 cm ≤ N < 15 cm	N ≥ 15 cm		
		MM	(%)	(mm)	
Length and width	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme
Thickness		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme
Straightness of sides		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conforme
Rectangularity (Measurement only on short edges when L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conforme
Surface flatness	ISO 10545-2	c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect. e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect. w. ± 0,8 Non-rect. w. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect. e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect. w. ± 0,5 Non-rect. w. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect. e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect. w. ± 2,0 Non-rect. w. ± 1,8 Rect.	Suitable for Conforme
Water absorption (in% by mass)	ISO 10545-3 ASTM C373	E _v ≤ 0,5% Individual Maximum 0,6%			≤ 0,1%
Breaking strength	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1500 N
Modulus of rupture		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²
Bending strength and breaking load	EN 1339 Annex F	-			-
Impact resistance, as coefficient of restitution	ISO 10545-5	Declared value			≥ 0,55
Mohs hardness	EN 101	-			6
Resistance to deep abrasion of unglazed tiles (removed volume)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³
Coefficient of thermal linear expansion	ISO 10545-8	Declared value			≤ 7MK ⁻¹
Thermal shock resistance	ISO 10545-9	Pass according to EN ISO 10545-1			Resistant
Moisture expansion (in mm/m)	ISO 10545-10	Declared value			≤ 0,01% (0,1mm/m)
Frost resistance	ISO 10545-12	Pass according to EN ISO 10545-1			Resistant
Bond strength/adhesion for improved cementitious adhesives	EN 1348	Declared value			≥ 10 N/mm ² (Class C2 - EN 12004)
Reaction to fire	-	Class A1 or A1 _n			A1 - A1 _n
Resistance to household chemicals and swimming pool salts	ISO 10545-13	Minimum Class B			A
Resistance to low concentrations of acids and alkalis		Declared Class			LA
Resistance to high concentrations of acids and alkalis		Declared Class			HA
Resistance to staining, for unglazed tiles	ISO 10545-14	Declared Class			5
Shod Ramp Test	EN 16165 ANNEX B (EX DIN 51130)	Declared value			R9
Barefoot Ramp Test	EN 16165 ANNEX A (EX DIN 51097)	Declared value			A+B
Pendulum Friction Test (1) (2)	BS 7976	PTV ≥ 36 classifies the surface as "low slip risk"			≥ 36 Dry ≥ 36 Wet
	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			Class P3
	UNE-ENV 12633	Declared value			Class C2
Coefficient of friction (COF)	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ > 0,40 per elemento scivolante cuoio su pavimentazione asciutta μ > 0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato
Dynamic coefficient of friction (DCOF)	ANSI A 326:3	-			wet DCOF ≥ 0,50





TILES & SANITARYWARE

CORPORATE OFFICE:

OASIS VITRIFIED PVT. LTD.
8-A N. H., Kandla Road,
Morbi - 363642, Gujarat, INDIA

+91 70462 88888
info@oasistiles.in
www.oasistiles.in

DELHI OFFICE:

J- 3/1, B1 Extn. first floor,
Mohan Co-operative Industrial
Estate, New Delhi - 110044, INDIA

+91 99090 00574
delhi@oasistiles.in

BANGLORE OFFICE:

No. 25, 1st floor, GR Mansion,
TC Palya Main Road, RM Nagar,
BANGLORE - 560016, INDIA

+91 99747 42428
karnataka@oasistiles.in

AHMEDABAD OFFICE:

GF-01, New York Tower - A,
Thaltej Cross Road, Thaltej,
Ahmedabad - 380054 (Guj.) INDIA.

+91 99098 04646
amd@oasistiles.in

BHUBHNEHWAR OFFICE:

Plot No. 3951 / 8993,
Puri Bypass Road, Pandra,
Bhubaneswar - 751010 Orissa INDIA.

+91 72289 53167
orissa@oasistiles.in

INTERNATIONAL INQUIRY:

OASIS TILES INDIA

+91 99099 88668
export@oasistiles.in