

MERLIN
TEKNICA HOMOGENEOUS BODY

600X1200

SOPHISTICATED
CHARISMA

Nexastone Series

www.oasistiles.in



NEXASTONE

STONE
SOUL

THREE
SIZES

6
COLOURS

PORCELAIN STONEWARE

MADE IN INDIA



oasis
Your Own Dream




The **sophisticated charisma** of a famous Lombard stone with **new colours**, polychromatic inclusions, rich textured effects of **iridescent** reflections //

An all-inclusive assortment of porcelain stoneware: **six colours** and the full range of sizes, thicknesses, special pieces and finishes **for all kinds** of outdoor or indoor spaces //

Sensitech


SAFE. SOFT. SMART.



INDOOR & OUTDOOR
CONTINUITY




SOFT TO
THE TOUCH



EXTREMELY
SAFE - R10



HYGIENIC AND
EASY TO CLEAN



LONG-LASTING
QUALITIES



PREMIUM
TECHNOLOGY

oasis®
Your Own Dream

CHAIRMAN'S # MESSAGE



MR. KARSHAN L. PATEL
Chairman
Oasis Tiles - India

ULTRA MODERN SURFACES FOR SPACES EXTRAORDINARY

Around the world, we've been witnessing **technological advancement** bringing in evolution to various industries. Likewise, the ceramic industry has also evolved from its primitive process of manufacturing tiles. This adaptation towards the contemporary changes has made **India world's 3rd largest manufacturer** across the globe.

The Oasis group is India's leading company in the manufacturing of **Vitrified & Wall tiles and Sanitary ware** products. An entity founded in 2006, has flourished its way to rapid success, crowned to be India's leading manufacturers in the ceramics industry. **Oasis** has been recently awarded as India's **Greatest Brands & Leaders 2016-2017** chosen by consumer & industry and also awarded **Power Brand India**,

Industry Trendsetter 2017, storming its way to the **top of ceramic tiles** brands in India. With such a huge label that we carry with ourselves, our strength lies in the amount of time and **technology** we provide for the **R&D department** that allows us to come up with **innovative and reliable solutions**. To put those solutions into practice, we have got on board, most **advanced technology**, and **machinery** that we source from Italy and Spain.

These parameters have helped us to obtain a massive growth rate since, in the year 2007, we had commenced with the **production capacity of 55,000 SqMtr.** per day along with exclusive Sanitary-Ware plant with a total production capacity of **2,50,0000** pieces every year. All in all, with an extensive range of **high gloss glazed** Vitrified tiles, Glazed Vitrified Tiles, Glazed Outdoor Vitrified Tiles, Full Body Vitrified Tiles, Double Charge Vitrified Tiles, Glazed Ceramic Wall Tiles and exclusive Sanitary-Ware collection, we are enroute to fulfilling your own dream.



INTO THE SOUL
NEXASTONE

A multi-faceted matter:
each slab is a harmonious
composition of
multicoloured shades //
The **infinite irregular**
shaped fragments reflect
light diversely, thanks to
state of the art digital
technologies //





CREATIVE
SURFACES

The classic grey is complemented by **new natural colours**, designed for **modern architecture** and decor: beige, sand, dark green and black // The palette allows **different combinations** and is enriched by the 5x5 tesserae or Palladian Mosaic //



R9. R10.





			I	A	S	E	P	L
$\frac{9.0\text{mm}}{R9.}$	□ 60x60 24"x24"		✓	✓	✓	✓	✓	✓
	▭ 60x120 24"x48"		✓	✓	✓	✓	✓	✓
$\frac{16.0\text{mm}}{R10.}$	□ 60x60 24"x24"			✓	✓	✓	✓	
	▭ 60x120 24"x48"			✓	✓	✓	✓	

INTO THE
SOLUTION

The special **texture** of the **matter**, with a uniform colour base livened up by a balanced set of fragments, is ideal for **coating** any type of space and structure, respecting and **enhancing architectural structures'** movement //

APPLICATIONS
GALLERIES

A // HOME GALLERY



23 LIVING
PEARL



14 KITCHEN
EARTH



26 HOME OFFICE
PEARL



38 BATHROOM
IVORY



37 BATHROOM
LECCO/PEARL



55 RELEASE
ANTRACITE

B // GARDEN GALLERY



20 PATIO
EARTH



42 OUTDOOR
IVORY



29 VILLA
PEARL

C // CONTRACT GALLERY



16 SHOP
EARTH



50 RESTAURANT
ANTRACITE



32 SPA
LECCO



47 DEHOR
SMOKE/ANTRACITE

A // HOME KITCHEN
EARTH

Floor
EARTH 60x120 . 24"x48" NATURAL

Wall
EARTH 60x120 . 24"x48" BAMBU FINNER



#SPECIAL
SURFACE





**C // CONTRACT SHOP
EARTH**

Floor
EARTH 60x120 . 24"x48" TRAP

Sinuous and futuristic
furnishings, matched up
with **NexaStone Earth**
flooring conveying the feeling
of welcoming **naturalness //**

Floor
EARTH 60x120 . 24"x48" TRAP



C // GARDEN PATIO
EARTH

Floor Indoor
EARTH 60x120 . 24"x48" NATURAL

Floor Outdoor
EARTH 60x120 . 24"x48" TRAP

Wall
ANTACITE 60x120 . 24"x48"

#R9
INDOOR

#R10
OUTDOOR

A // HOME LIVING
PEARL

Floor
PEARL 60x120 . 24"x48" NATURAL

Space **renovations** which respect the original spirit and style //
The flooring is **brightly textured**, with a motion effect but not grained: perfect for enhancing the feeling of spaciousness also in small spaces //



Floor
PEARL 60x120 . 24"X48" TRAP





**A // HOME STUDIO
PEARL**

Floor
PEARL 60x120 . 24"x48" TRAP

Elements
ANTRACITE



**B // GARDEN VILLA
PEARL**

Floor
PEARL 60x120 . 24"x48" NATURAL
PEARL 60x120 . 24"x48" TRAP

Wall
PEARL 60x120 . 24"x48" BAMBU LINNER
ANTRACITE 60x120 , 24"x48" NATURAL

Flooring for outdoor spaces with **R10** non-slip finish, in this case with **16mm** thickness and two installation options: dry laying, on gravel and glued to the screed // The steps are finished in a workmanlike manner thanks to special pieces like stair tread and L-shaped piece //



Floor
PEARL 60x120 . 24"x48" NATURAL

Wall
PEARL 60x120 . 24"x48" TRAP



#MULTIPLE
GRAPHICS

C // CONTRACT SPA
LECCO

Floor
LECCO 60x120 . 24"x48" NATURAL

Wall
LECCO 60x120 . 24"x48" BAMBU

Wall
LECCO 60x120 . 24"x48" NATURAL

#SPECIAL
PIECES



Floor
LECCO 60x120 . 24"X48" TRAP

Oasis's **high-quality** Porcelain stoneware is not damaged by thermal water or disinfectants // The range of available complementary special pieces and mosaics complete **details** and **finishes** perfectly //


Wall
LECCO MOSAIC 30x30 . 12"X12" NATURAL



**A // HOME BATHROOM
LECCO + BIANCO**

Floor
LECCO 60x120 . 24"x48" TRAP

Wall
BIANCO 30x30 . 12"x12" MOSAIC






A // HOME BATHROOM IVORY

Floor
IVORY 60x120 . 24"X48" NATTUAL


Wall
IVORY 30x30 . 12"X12" MOSAIC

Stylistically **eclectic**,
elegantly coloured, able to
harmonise also with
high-level architectural
contexts: these are some
of **Nexastone**
distinguishing features //

Wall
IVORY 30x30 . 12"x12" MOSAIC



Floor
IVORY 60x120 . 24"x48" TRAP





#IN&OUT
COORDINATED

B // GARDEN VILLA IVORY

Floor
IVORY 60x120 . 24"X48" NATTUAL

Wall
IVORY 60x120 . 24"X48" BAMBU LINNER

The **two finishes**, for indoor spaces (R9) and non-slip R10 for outdoor spaces look similar: the floors of terraces and of indoor spaces **aesthetically** appear to be a single entity, thus increasing the feeling of spaciousness //

Floor
IVORY 60x120 . 24"x48" TRAP

Wall
IVORY 60x120 . 24"x48" BAMBU LINNER



**B // CONTRACT DEHOR
SMOKE + ANTRACITE**

Floor
SMOKE 60x120 . 24"x48" NATTUAL

Wall
ANTRACITE 60x120 . 24"x48" BAMBU LINNER

The **facade** cladding, also ventilated, is a functional and practical option, thanks to sizes up to 120x120 //
The product range includes extra features like colour **combinations** and matching anti-slip surfaces for outdoor floors //



Floor
SMOKE 60x120 . 24"x48" TRAP



Wall
SMOKE 30x30 . 12"x12" MOSAIC



**C // CONTRACT RESTAURANT
ANTRACITE**

Floor Indoor
ANTRACITE 60x120 . 24"x48" NATURAL

Wall
EARTH 60x120 . 24"x48" NATURAL



NEXASTONE **original appearance** was born from the casual **combination** between portions of different matter, rich in details, but with a **refined** overall effect II

Floor Indoor
ANTRACITE 60x120 . 24"X48" TRAP

Wall
ANTRACITE 60x120 . 24"X48"



**A // HOME RELEASE
ANTRACITE**

Wall
ANTRACITE 60x120 . 24"x48" NATTUAL

Pairing with fabrics, wood and furnishings is always particularly well-matched and pleasant, for all the **six colours** of Nexastone //



Floor
ANTRACITE 60x120 . 24"x48" NATURAL

DMITRI MEREKOWSKI



Sizes	NAT	R10
9.0 MM		
 60x120 . 24"x48" NATURAL	□	
 60x120 . 24"x48" LINNER	□	
 60x120 . 24"x48" TRAP		□
 60x60 . 24"x24" TRAP		□
16.0 MM		
 60x120 . 24"x48" TRAP		□
 60x60 . 24"x24" TRAP		□

Mosaic	NAT
9.0 MM	
 Mosaico 30x30 . 12"x12" NATURAL 48x48mm Chip	□



NEXASTONE
Scane for virtual
360°



BAMBU LINNER
R9 RETT



TRAP
R10 RETT




Sizes	NAT	R10
9.0 MM		
 60x120 . 24"x48" NATURAL	□	
 60x120 . 24"x48" LINNER	□	
 60x120 . 24"x48" TRAP		□
 60x60 . 24"x24" TRAP		□


Mosaic	NAT
9.0 MM	
 Mosaico 30x30 . 12"x12" NATURAL 48x48mm Chip	□



NEXASTONE
Scane for virtual
360°



BAMBU LINNER
R9 RETT



TRAP
R10 RETT

EARTH

TEKNICA HOMOGENIOUS BODY PORCELAIN STONEWARE



Sizes	NAT	R10
9.0 MM		
60x120 . 24"x48" NATURAL	□	
60x120 . 24"x48" LINNER	□	
60x120 . 24"x48" TRAP		□
60x60 . 24"x24" TRAP		□
16.0 MM		
60x120 . 24"x48" TRAP		□
60x60 . 24"x24" TRAP		□

Mosaic	NAT
9.0 MM	
Mosaico 30x30 . 12"x12" NATURAL 48x48mm Chip	□



NEXASTONE
Scane for virtual
360°



BAMBU LINNER
R9 RETT



TRAP
R10 RETT

SMOKE

TEKNICA HOMOGENIOUS BODY PORCELAIN STONEWARE




Sizes	NAT	R10
9.0 MM		
60x120 . 24"x48" NATURAL	□	
60x120 . 24"x48" LINNER	□	
60x120 . 24"x48" TRAP		□
60x60 . 24"x24" TRAP		□
16.0 MM		
60x120 . 24"x48" TRAP		□
60x60 . 24"x24" TRAP		□

Mosaic	NAT
9.0 MM	
Mosaico 30x30 . 12"x12" NATURAL 48x48mm Chip	□



NEXASTONE
Scane for virtual
360°



BAMBU LINNER
R9 RETT



TRAP
R10 RETT

IVORY

TEKNICA HOMOGENIOUS BODY PORCELAIN STONEWARE




Sizes	NAT	R10
9.0 MM		
60x120 . 24"x48" NATURAL	□	
60x120 . 24"x48" LINNER	□	
60x120 . 24"x48" TRAP		□
60x60 . 24"x24" TRAP		□

Mosaic	NAT
9.0 MM	
Mosaico 30x30 . 12"x12" NATURAL 48x48mm Chip	□



NEXASTONE
Scane for virtual
360°




BAMBU LINNER
R9 RETT



TRAP
R10 RETT

ANTRACITE

TEKNICA HOMOGENIOUS BODY PORCELAIN STONEWARE




Sizes	NAT	R10
9.0 MM		
60x120 . 24"x48" NATURAL	□	
60x120 . 24"x48" LINNER	□	
60x120 . 24"x48" TRAP		□
60x60 . 24"x24" TRAP		□
16.0 MM		
60x120 . 24"x48" TRAP		□
60x60 . 24"x24" TRAP		□


Mosaic	NAT
9.0 MM	
Mosaico 30x30 . 12"x12" NATURAL 48x48mm Chip	□



NEXASTONE
Scane for virtual
360°



BAMBU LINNER
R9 RETT




TRAP
R10 RETT

MOSAICS



TEKNICA HOMOGENIOUS BODY PORCELAIN MOSAIC

MOSAICS COLOUR



ANTRACITE
30"x30"




BIANCO
30"x30"




EARTH
30"x30"



IVORY
30"x30"



LECCO
30"x30"



SMOKE
30"x30"



PACKING


TEKNICA HOMOGENIOUS BODY PORCELAIN STONEWARE

	PCS // BOX	SQM // BOX	KGS // BOX
9.0 MM			
60x120 . 24"x48" RETT / NATURAL	2	1.44	28.5 kg. App.
60x120 . 24"x48" RETT / TRAP	2	1.44	28.5 kg. App.
60x120 . 24"x48" RETT / BAMBU LINNER	2	1.44	28.5 kg. App.
60x60 . 24"x24" RETT / NATURAL	4	1.44	28.5 kg. App.
60x60 . 24"x24" RETT / TRAP	4	1.44	28.5 kg. App.
16.0 MM			
60x120 . 24"x48" RETT / NATURAL	2	1.44	52.00 kg.
60x60 . 24"x24" RETT / NATURAL	2	0.72	26.00 kg.



Sensitech

SAFE. SOFT. SMART.




INDOOR & OUTDOOR CONTINUITY




SOFT TO THE TOUCH



EXTREMELY SAFE - R10



HYGIENIC AND EASY TO CLEAN



LONG-LASTING QUALITIES



PREMIUM TECHNOLOGY

SENSITECH: Elevating Elegance in Porcelain Tiles

Unveiling a new era of sophistication and durability, SENSITECH stands as the epitome of excellence in the realm of full-body porcelain tiles. Renowned for its commitment to quality and innovation, SENSITECH transforms spaces into timeless masterpieces, blending aesthetics with resilience.

Key Features:

Unparalleled Craftsmanship: SENSITECH tiles are crafted with meticulous attention to detail, ensuring every tile embodies the highest standards of artistry and precision.

Cutting-Edge Technology: Leveraging state-of-the-art manufacturing processes, SENSITECH integrates cutting-edge technology to produce tiles that not only captivate the eye but also endure the test of time.

Versatility in Design: From contemporary chic to classic elegance, SENSITECH offers a diverse range of designs and patterns, allowing architects, designers, and homeowners to bring their visions to life.

Full-Body Composition: SENSITECH's commitment to quality extends to the core of its tiles. The full-body porcelain composition ensures uniform color and texture throughout, enhancing durability and resistance to wear and tear.

Environmental Responsibility: SENSITECH places a premium on sustainability, employing eco-friendly practices in its manufacturing processes and sourcing materials responsibly.

Applications:

Whether adorning residential spaces, commercial establishments, or public areas, SENSITECH tiles redefine interior and exterior design, offering a harmonious blend of aesthetics and functionality.

Experience the Essence of Luxury:

With SENSITECH, each tile is not just a surface but a statement—an embodiment of luxury, endurance, and timeless style. Elevate your spaces with SENSITECH, where every step is a testament to perfection in porcelain.

Technical features	Test Method	Requirements for nominal size N /			Matte Matte ± 9 mm
		7 cm ≤ N < 15 cm	N ≥ 15 cm		
		MM	(%)	(mm)	
Length and width	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conformance
Thickness		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conformance
Straightness of sides		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conformance
Rectangularity (Measurement only on short edges when L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conformance
Surface flatness	ISO 10545-2	c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect. e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect. w. ± 0,8 Non-rect. w. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect. e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect. w. ± 0,5 Non-rect. w. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect. e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect. w. ± 2,0 Non-rect. w. ± 1,8 Rect.	Suitable for Conformance
Water absorption (in % by mass)	ISO 10545-3 ASTM C373	E _v ≤ 0,5% Individual Maximum 0,6%			≤ 0,1 %
Breaking strength	ISO 10545-4	Requirement ANSI A137.1-2017 Water absorption max ≤ 0,5%			≤ 0,5 %
Modulus of rupture		S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm) R ≥ 35 N/mm ²			S ≥ 1500 N R ≥ 40 N/mm ²
Bending strength and breaking load		-			-
Impact resistance, as coefficient of restitution	EN 1339 Annex F	-			-
Impact resistance, as coefficient of restitution	ISO 10545-5	Declared value			≥ 0,55
Mohs hardness	EN 101	-			6
Resistance to deep abrasion of unglazed tiles (removed volume)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³
Coefficient of thermal linear expansion	ISO 10545-8	Declared value			≤ 7MK ⁻¹
Thermal shock resistance	ISO 10545-9	Pass according to EN ISO 10545-1			Resistant
Moisture expansion (in mm/m)	ISO 10545-10	Declared value			≤ 0,01% (0,1mm/m)
Frost resistance	ISO 10545-12	Pass according to EN ISO 10545-1			Resistant
Bond strength/adhesion for improved cementitious adhesives	EN 1348	Declared value			≥ 10 N/mm ² (Class C2 - EN 12004)
Reaction to fire	-	Class A1 or A _{1s}			A1 - A _{1s}
Resistance to household chemicals and swimming pool salts	ISO 10545-13	Minimum Class B			A
Resistance to low concentrations of acids and alkalis		Declared Class			LA
Resistance to high concentrations of acids and alkalis		Declared Class			HA
Resistance to staining, for unglazed tiles	ISO 10545-14	Declared Class			5
Shod Ramp Test	EN 16165 ANNEX B (EX DIN 51130)	Declared value			R9
Barefoot Ramp Test	EN 16165 ANNEX A (EX DIN 51097)	Declared value			A+B
Pendulum Friction Test (1/2)	BS 7976	PTV ≥ 36 classifies the surface as "low slip risk"			≥ 36 Dry ≥ 36 Wet
	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			Class P3
	UNE-ENV 12633	Declared value			Class C2
Coefficient of friction (COF)	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ > 0,40 per elemento scivolante cuoio su pavimentazione asciutta μ > 0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato
Dynamic coefficient of friction (DCOF)	ANSI A 326.3	-			wet DCOF ≥ 0,50

NEXASTONE

#SIZE

60x120
24"x48" 9mm

60x120
24"x48" 16mm

60x60
24"x24" 9mm

60x60
24"x24" 16mm

30x30
12"x12"

#COLOUR

IVORY

ANTRACITE

EARTH

SMOKE

BIANCO

LECCO

#SURFACE

Natural

Linner

Trap



oasis
Your Own Dream