

áspero
COLLECTION

800X2400

THE VERSATILE MODERN
ARCHITECTURAL DESIGN

FULL BODY

www.oasistiles.in





áspero

COLLECTION

800x2400MM





CHAIRMAN'S MESSAGE

Around the world, we've been witnessing technological advancement bringing in evolution to various industries. Likewise, the ceramic industry has also evolved from its primitive process of manufacturing tiles. This adaptation towards the contemporary changes has made India world's 3rd largest manufacturer across the globe.

The Oasis group is India's leading company in the manufacturing of Vitrified & all tiles and Sanitary ware products. An entity founded in 2006, has flourished its way to rapid success, crowned to be India's leading manufacturers in

the ceramics industry. Oasis has been recently awarded as India's Greatest Brands Leaders 2016-2017 chosen by consumer & industry and also awarded Power Brand India, Industry Trendsetter 2017, storming its way to the top of ceramic tiles brands in India.

With such a huge label that we carry with ourselves, our strength lies in the amount of time and technology we provide for the R&D department that allows us to come up with innovative and reliable solutions. To put those solutions into practice, we have got on board, most advanced technology, and machinery that we source from Italy and Spain. These parameters have helped us to obtain a massive growth rate since, in the year 2007, we had commenced with the production capacity of 55,000 SqMtr. per day along with exclusive Sanitary-Ware plant with a total production capacity of pieces every year. All in all, with an extensive range of high gloss glazed Vitrified tiles. Glazed Vitrified Tiles, Glazed Outdoor Vitrified Tiles, Full Body Vitrified Tiles, Double Charge Vitrified Tiles, Glazed Ceramic Wall Tiles and exclusive Sanitary-Ware collection. we are en-route to fulfilling your own dream.



MR. KARSHAN L. PATEL
Chairman
Oasis Tiles – India



Nature, in all its perfection, Graces us with another element
Whose essence is reflected in pure Design. Interior and
exterior surfaces Acquire new elegance.

True to its long-standing Tradition of research and
development Of new technologies, Oasis is Proud
to present **Ultra Full body Vitrified surfaces.**

CONTINUA+
Italian Technology



áspero


COLLECTION

Able to combine aesthetics, performance, Practicality and workability, the ULTRA Porcelain stoneware ceramic slabs are A ductile and complete tool available to Designers and creators in which the Sophisticated designs of surfaces are Cloaked in a technological and resistant Material, the perfect alternative to Traditional materials such as plastic Agglomerates, natural stone and metals.



áspero
COLLECTION

AVAILABLE IN
2 DIFFERENT
SURFACES




15MM
THICK



WHY PREFERRED ULTRA FULLBODY VITRIFIED SURFACES

Experience the epitome of cleanliness and durability
With our ceramic tiles. Engineered with a hygienic and
Scratch-proof surface, our tiles offer unparalleled
Protection against wear and tear, ensuring lasting
Beauty and peace of mind in every space.



Low Water
Absorption



Bending
Strength



More
Durability



Acid & Chemical
Resistance



Wear & Tear
Resistance



Stain
Resistance



Frost
Resistance



Temperature
Resistance



Scratch
Resistance



Anti-Slip
Surface

INNOVATIVE TABLE TOPS



— We are using it as floors, walls and countertop applications, because of the colourbody 15mm slabs.

VERSATILE APPLICATION



— We are making and promoting 15mm slabs to use as countertops because it is food grade safe and easy to install.

PRECIOUS LIVING SPACE



— The space which is more modern and releases the creative identity of the material in variant application like staircase, bathtub & furniture.

APPLICATION AREAS




TOPS & KITCHEN



CURVED SURFACE



INTERIOR & DESIGN




FLOORS WALLS & STAIRS



DOORS & SLIDING WALLS



TOPS & BATHROOMS




SHELVES & CONSOLE



VENTILATED FACADE

**THE VERSATILE
LARGE SIZES FOR
MODERN
ARCHITECTURAL
DESIGN.**



A RANGE OF NEW COLORS ON DEMAND

Ultra Fullbody Surfaces is a material with a universal style: perfect for minimal, contemporary settings, but also for renovation projects in keeping with historical surroundings.



AVAILABLE IN 2 DIFFERENT SURFACES



GRANOS SERIES




PLANO SERIES



GLISTEN SERIES



POLAR SERIES



**IT'S A CLICKABLE
CATALOGUE**



**TAP TO
EXPLORE
EACH PRODUCT**
Tap on particular product to
Explore full size view.



**TAP TO
BACK TO
INDEX PAGE**
Again tap on the Tiles Page
To return to the Index page



GRANOS SERIES



**GRANOS
WHITE**



**GRANOS
BLACK**



**GRANOS
BURLY**



**GRANOS
CREMA**



**GRANOS
MOSS GREEN**



**GRANOS
BROWN**



**GRANOS
GREY**

PLANO SERIES



**POLAR
WHITE**

IT'S A CLICKABLE
CATALOGUE




**TAP TO
EXPLORE
EACH PRODUCT**
Tap on particular product to
Explore full size view.



**TAP TO
BACK TO
INDEX PAGE**
Again tap on the Tiles Page
To return to the Index page



PLANO SERIES



PLANO
STEEL GREY



PLANO
WHITE



PLANO
SILVER GREY



PLANO
NERO



PLANO
COFFEE

GLISTEN SERIES




GLISTEN
WHITE



GLISTEN
GRIS



GLISTEN
CREMA



GLISTEN
MASHROOM



TAP HERE TO
VIEW 360 RENDER

Design :

GRANOS
WHITE

Size :

800x2400mm
80x240cm

Finishes :



POLISHED



MATT



áspero

COLLECTION

Granos white exudes a contemporary and inviting ambiance. The textured surface adds depth and character, creating Visual interest that captures attention.

Pairing this with granos grey tiles with a matte finish on the floor Complements the overall design scheme, adding a sense of Cohesion and sophistication to the space. The muted tones of White and grey create a neutral backdrop that allows other design Elements to shine

www.oasistiles.com

[BACK TO INDEX](#)



Preview Of Granos White



TAP HERE TO VIEW 360 RENDER

Design :

GRANOS
BLACK

Size :

800x2400mm
80x240cm

Finishes :



POLISHED



MATT



áspero

COLLECTION


Granos white exudes a contemporary and inviting ambiance. The textured surface adds depth and character, creating Visual interest that captures attention.

Pairing this with granos grey tiles with a matte finish on the floor Complements the overall design scheme, adding a sense of Cohesion and sophistication to the space. The muted tones of White and grey create a neutral backdrop that allows other design Elements to shine

www.oasistiles.com



Preview Of Granos Black



TAP HERE TO VIEW 360 RENDER

Design :

GRANOS
BURLY

Size :

800x2400mm
80x240cm

Finishes :



POLISHED



MATT



áspero COLLECTION

Combining granos burly and brown chip texture tiles On the modular kitchen top creates a captivating Contrast that exudes warmth and sophistication.

The polished finish of the ivory tiles reflects light Beautifully, adding brightness and a sense of Spaciousness to the kitchen. In contrast, the-Matte finish of the brown tiles adds depth and Texture, complementing the overall design.

www.oasistiles.com



Preview Of Granos Burly



TAP HERE TO VIEW 360 RENDER

Design :

GRANOS
CREMA

Size :

800x2400mm
80x240cm

Finishes :



POLISHED



MATT



áspero COLLECTION

The combination of beige color chips texture Full-body tiles with moss green tiles in a heavy-traffic Area creates a harmonious and elegant ambiance.

The beige tiles offer a neutral and versatile backdrop, Allowing the colorful clothing to stand out. Full-body Tiles are durable and resistant to wear and tear, Making them ideal for high-traffic areas.

www.oasistiles.com



Preview Of Granos Crema



TAP HERE TO VIEW 360 RENDER

Design :
**GRANOS
 MOSS GREEN**

Size :
 800x2400mm
 80x240cm

Finishes :



áspero
 COLLECTION

Combining green-grey tiles with brown tiles in an airport lounge area creates a striking and harmonious aesthetic. The glossy-surface on the walls reflects light, adding depth and luminosity to the space. It imparts a sense of modernity and sophistication, while also enhancing the visual appeal of the area.


The matt surface on the floor provides a contrasting texture, offering both visual interest and practicality. It ensures a safe and slip-resistant surface, making it ideal for high-traffic areas like airport lounges.

www.oasistiles.com



Lunch Room

Preview Of Granos Moss Green



TAP HERE TO VIEW 360 RENDER

Design :
**GRANOS
 BROWN**

Size :
 800x2400mm
 80x240cm

Finishes :



áspero
 COLLECTION


The rich coffee brown countertop adds depth and Sophistication, contrasting beautifully with the light And airy ivory flooring and cream door tiles.

The smooth matt finish of these tiles makes them Easy to clean, allowing for hassle-free maintenance In a busy kitchen environment. The combination Of warm brown tones with light neutrals fosters A cozy and welcoming atmosphere, perfect for Both cooking and entertaining.

www.oasistiles.com



Preview Of Granos Brown



TAP HERE TO
VIEW 360 RENDER

Design :

GRANOS
GREY

Size :

800x2400mm
80x240cm

Finishes :



POLISHED



MATT



áspero

COLLECTION


Add a modern and stylish touch but also come with Excellent fireproof and heat-resistant properties. These tiles are specifically designed to withstand High temperatures, making them a safe and practical Choice for fireplace surrounds.

The chips texture and plain grey color create A cohesive and contemporary look, blending Seamlessly with both modern and traditional decor styles.

www.oasistiles.com



Preview Of Granos Grey



TAP HERE TO
VIEW 360 RENDER

Design :
PLANO
STEEL GREY

Size :
800x2400mm
80x240cm

Finishes :



áspero

COLLECTION


The plano steel grey walls and dining table top offer a sleek and modern backdrop, while the ivory chips texture flooring adds warmth and visual interest, creating a balanced contrast. The neutral tones of steel grey and cream are versatile, allowing for easy pairing with various furniture and decor styles.

www.oasistiles.com

 [BACK TO INDEX](#)



Preview Of Plano Steel Grey



TAP HERE TO VIEW 360 RENDER

Design :
PLANO
WHITE

Size :
800x2400mm
80x240cm

Finishes :



POLISHED



áspero
COLLECTION

The installation of plain white matt full-body tiles in A cafe resto with a large center countertop and Dining table tops creates a clean, modern, and inviting Atmosphere. The white tiles offer a bright and airy feel, Making the space appear more spacious and welcoming

In addition to the white tiles, the combination of light-Brown tiles in the flooring adds warmth and texture to The space, creating a harmonious balance between Modern elegance and cozy ambiance.

www.oasistiles.com



ESPRESSO 8
AMERICANO 10
CAPPUCCINO 14
LATTE 16
MOCHA 18

Preview Of Plano White



TAP HERE TO VIEW 360 RENDER

Design :

PLANO
SILVER GREY

Size :

800x2400mm
80x240cm

Finishes :



POLISHED



MATT



áspero COLLECTION


The installation of plano silver grey matt tiles in a large Office space for walls, floors, and computer desk tops Creates a sleek and professional environment. The uniform Grey color exudes a sense of modernity and sophistication, Setting the tone for a productive workspace.

The matt finish of the tiles ensures easy cleaning, maintaining A tidy and organized workspace.

www.oasistiles.com



Preview Of Plano Silver Grey



TAP HERE TO VIEW 360 RENDER

Design :
PLANO
NERO

Size :
800x2400mm
80x240cm

Finishes :



POLISHED



áspero

COLLECTION

The installation of crystal black plain color full-body Tiles on the kitchen deck and top, paired with steel Grey matt flooring, creates a sleek and sophisticated Ambiance in the kitchen.

The crystal black tiles offer a sleek and modern look, While the steel grey matt flooring adds depth and Contrast, enhancing the overall aesthetic appeal Of the kitchen.

www.oasistiles.com



Preview Of Plano Nero



TAP HERE TO VIEW 360 RENDER

Design :

PLANO
COFFEE

Size :

800x2400mm
80x240cm

Finishes :



POLISHED



MATT



áspero

COLLECTION

The installation of coffee color plain tiles throughout The bathroom, including the shower area, wash basin top, Walls, and flooring, creates a cohesive and luxurious ambiance.

The careful adjustment in surface finishes adds depth and Texture to the space. The coffee color tiles provide a warm and Inviting atmosphere, enhancing the overall elegance of The bathroom. Overall, the combination of coffee color tiles with Varying surface finishes creates a harmonious and visually Stunning bathroom space that exudes luxury and comfort.

www.oasistiles.com

 [BACK TO INDEX](#)



Preview Of Plano Coffee



TAP HERE TO VIEW 360 RENDER

Design :
GLISTEN
WHITE

Size :
800x2400mm
80x240cm

Finishes :



áspero COLLECTION

The glisten white polished tiles offer a sleek and Modern look, adding a touch of sophistication to The kitchen platform. The polished surface of The white tiles and the matt finish of the ivory tiles Make them easy to clean and maintain, ensuring A hygienic and tidy kitchen space.



Preview Of Glisten White



TAP HERE TO
VIEW 360 RENDER

Design :

GLISTEN
GRIS

Size :

800x2400mm
80x240cm

Finishes :



POLISHED



DOVE



áspero

COLLECTION

The application of glisten gris color tiles on
The bar counter top, paired with steel grey matt flooring,
Creates a sleek and modern ambiance in the bar area.

The glisten gris tiles offer a sophisticated and trendy look,
Enhancing the overall aesthetic of the bar countertop.
The steel grey matt flooring provides a contrasting base,
Adding depth and visual interest to the space.

www.oasistiles.com



Preview Of Glisten Gris



TAP HERE TO VIEW 360 RENDER

Design :

GLISTEN
CREMA

Size :

800x2400mm
80x240cm

Finishes :



POLISHED



DOVE



áspero


COLLECTION

The crema countertop offers a bright and clean surface, While the coffee brown matt flooring adds depth and warmth, Creating a harmonious contrast. L, the combination of Crema tiles on the countertop and coffee brown matt tiles On the flooring creates a timeless and elegant kitchen Atmosphere that is both functional and visually pleasing.

www.oasistiles.com



Preview Of Glisten Crema



TAP HERE TO
VIEW 360 RENDER

Design :

GLISTEN
MASHROOM

Size :

800x2400mm
80x240cm

Finishes :



POLISHED



DOVE



áspero

COLLECTION


Combining Glam Barly tiles with Steel Grey tiles in a large office area creates a sophisticated and professional ambiance. The glossy surface on the table tops exudes a sense of luxury and elegance, enhancing the overall aesthetic appeal of the workspace. It reflects light beautifully, adding a touch of glamour and making the space feel more spacious and airy.

On the other hand, the Steel Grey tiles in a matt surface on the floor provide a sleek and modern backdrop. The muted tone of grey offers a sense of calmness and professionalism, creating a conducive environment for work.

www.oasistiles.com



Preview Of Glam Mashroom



TAP HERE TO
VIEW 360 RENDER

Design :
POLAR
WHITE

Size :
800x2400mm
80x240cm

Finishes :



POLISHED



áspero

COLLECTION

A kitchen top made of polar white full-body tiles offers, A sleek and modern aesthetic, enhancing the over all Beauty of the space. The polished surface makes Cleaning effortless, ensuring a hygienic environment. Moreover, the scratch-proof material ensures durability And longevity.

www.oasistiles.com



Preview Of Polar White

EDGE PROFILE



Double straight rounded edge



Straight squared edge



Rounded straight edge



Half bullnose



Rounded edge at 45°



Full bullnose



Double straight squared edge



Demi bullnose



Micro Bevel

JOINT POSSIBILITIES



Birds beak



45° corner



Soft corner


COMPARISON CHART

Comparison chart of properties comparing globally available furnishing materials


	áspero COLLECTION	ENGINEERED QUARTZ STONE	NATURAL MARBLE & STONE	SOLID SURFACE	WOOD LAMINATES	STEEL
Hygienic surface <small>(Suitable for contact with foodstuffs)</small>	● ● ●	● ● ●	● ●	● ● ●	●	● ● ●
Easy to clean and maintain	● ● ●	● ●	●	●	● ●	●
Non porous surface <small>(water absorption < 0.1% average value)</small>	● ● ●	● ●	●	● ●	●	● ● ●
Resistant to heat and high temperatures	● ● ●	●	● ●	●	●	● ● ●
Suitable for indoor and outdoor applications	● ● ●	●	● ●	●	●	● ● ●
Resistant to staining	● ● ●	● ●	●	● ●	● ●	● ● ●
Resistant to mould and fungi	● ● ●	● ● ●	●	● ● ●	● ●	● ● ●
Resistant to scratches and abrasions	● ● ●	● ●	● ●	●	●	●
Resistant to UV rays, no alteration to colours	● ● ●	● ●	● ●	●	●	● ● ●
Resistant to detergents and Cleaning Products	● ● ●	● ●	●	●	● ●	● ● ●
Resistant to chemicals, acids, alkalis and solvents	● ● ●	● ●	●	● ●	●	● ●
Resistant to deflection	● ● ●	● ●	● ●	● ●	●	● ● ●
Resistant to thermal shock	● ● ●	● ●	● ● ●	● ●	●	● ● ●
Resistant to freezing and defrosting	● ● ●	● ● ●	● ● ●	● ●	●	● ● ●
Resistant to humidity	● ● ●	● ● ●	● ●	●	●	● ● ●
Resistant to breaking strength	● ● ●	● ●	● ●	● ●	●	● ● ●

GENERAL INDICATION FOR HANDLING, CUTTING AND LAYING


HANDLING




Where possible, mechanical lifting systems should be used for delivering slabs above the ground floor.




Handling the slabs on the floor can be managed with the aid of a frame fitted with suction cups to make the slabs more stable.




The appropriate suction cups may be used for manual handling.



To facilitate handling of slabs with textured surfaces, the appropriate suction cups should be used.




For moving the slabs over large surfaces, a forklift can be used.




Once the slab is in position, excess air should be removed completely by tapping it either manually or mechanically using the appropriate trowel, starting from the centre and moving out towards the sides.


CUTTING




Cutting operations should be carried out on a perfectly stable, flat surface.




A cutting guide fitted with a diamond tip tool is recommended.




To cut the slab without breaking the material, the appropriate shears should be used.



The slabs can also be cut with a dry saw or wet saw with a diamond wheel cutter.



For L-shaped cuts or cuts inside the slab, holes should be bored at the vertices to prevent the blade of the cutting disk damaging the surface.



To bore cylindrical holes on the slabs, a diamond cutting tool of the desired diameter should be used, and the surface should be kept wet constantly.

TECHNICAL SPECIFICATION

SR. NO.	CHARACTERISTICS	IS 15622:2017 GROUP BIA E ≤ 0.08	ISO 13006:2018 GROUP BIA EV ≤ 0.5 %	EN 14411:2016 GROUP BIA EV ≤ 0.5 %	TEST METHOD	OASIS VALUE
A - DIMENSION & SURFACE QUALITY (WHICH EVER IS LESS IS APPLICABLE)						
i	Length & Width	±0.1%	± 0.3% OR ± 1.0 mm	± 0.6% OR ± 2.0 mm	ISO 10545 - 2 IS 13630 (Part 1)	± 0.1%
ii	Thickness	± 5.0%	± 5.0% OR ± 0.5 mm	± 5.0% OR ± 0.5 mm		± 4%
iii	Straightness Of Side	±0.1%	± 0.3% OR ± 0.8 mm	± 0.5% OR ± 1.5 mm		± 0.1%
iv	Rectengularity	±0.1%	± 0.3% OR ± 1.5 mm	± 0.5% OR ± 2.0 mm		± 0.1%
v	Surface Flatness					
a	Center Curvature (%)	± 0.5%	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm		± 0.2 %
b	Edge Curvature (%)	± 0.5%	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm		± 0.2 %
c	Corner Warpage (%)	± 0.5%	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm	± 0.2 %	
vi	Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects		Min. 95 % of tiles will be free from visible defects
B - PHYSICAL PROPERTIES						
i	Water Absorption	<0.08% Ind Max 0.1%	<0.5% Ind Max 0.6%	<0.5% Ind Max 0.6%	ISO 10545-3 IS 13630 (Part 2)	<0.08%
ii	Modulus Of Rupture [n/mm ²]	Av 35, Individual 32 min	Av 35, Individual 32 min	Av 35, Individual 32 min	ISO 10545-4 IS 13630 (Part 6)	>35
iii	Breaking Strength In N	700 for < 7.5mm T 1300 for ≥ 7.5mm T	700 for < 7.5mm T 1300 for ≥ 7.5mm T	700 for < 7.5mm T 1300 for ≥ 7.5mm T		>1300
iv	Moisture Expansion In Mm/m	0.02	0.06% /0.6mm/m	0.06% /0.6mm/m	ISO 10545-10 IS 13630 (Part 3)	Nil
v	Resistance To Abrasion Of Glazed Tiles (Class I To V)	Minimum Class II	Depending on surface (As reported)	Depending on surface (As reported)	ISO 10545-7 IS 13630 (Part 11)	Min Class 3 for PCVT
	Resistance To Deep Abrasion Of Unglazed Tiles (volume Removed In Mm)	Max-140	Max -175	Max -175	ISO 10545-6 IS 13630 (Part 12)	
vi	Coe?cient Of Linear Thermal Expansion From Embiant Temperature To 100 0 C	6 X 10 -6 K-1	9 X 10 -6 K-1 max	9 X 10 -6 K-1 max	ISO 10545-8 IS 13630 (Part 4)	6 X 10 -6 K-1 max
vii	Thermal Shock Resistance	10 Cycle Passed	10 cycle min	10 cycle min	ISO 10545-9 IS 13630 (Part 5)	10 cycle Passed
viii	Crazing Resistance	4 cycle	2 Cycle (@ 5 bar)	2 Cycle (@ 5 bar)	ISO 10545-11 IS 13630 (Part 9)	4 cycle passed
ix	Frost Resistance	100 Cycle	Required	Required	ISO 10545-12 IS 13630 (Part-10)	Passed
x	Impact Resistance	0.55	0.55	0.55	ISO 10545-5 IS 13630 (Part 14)	>0.55
xi	Bulk Density	Min 2.2			ISO 10545-3 IS 13630 (Part 2)	2.2 gm/cc.min
C - CHEMICAL PROPERTIES						
i	Stain Resistance	Min Class I	Min Class 3	Min Class 3	ISO 10545-14 IS 13630 (Part 8)	Class 3 (as per ISO)
ii	Resistance To Household Chemicals	Class AA	Min Class B	Min Class B	ISO 10545-13 IS 13630 (Part 8)	Class A(AS per ISO)
iii	Resistance To Acid And Alkalies		Decleared Value	Decleared Value	ISO 10545-13 IS 13630 (Part 8)	Class A

PACKING DETAILS

SIZE	PIECES / BOX	COVERAGE AREA / BOX		WEIGHT / BOX
800X2400mm	1	20.66 sq.ft.	1.92 sq. mtr	67.5 Kg (approx)

Note: Color shown in catalog may vary with the original tile. Slight shade & size variation is an inherent property of Ceramic / Vitrified tiles.
For Normal Glossy Class III, High Glossy Class II/Class III, Matt Class III/Class IV.





CORPORATE OFFICE:

OASIS VITRIFIED PVT. LTD.

8-A, N.H., Kandla Road,

Morbi - 363 642, Gujarat, INDIA

 +91 70462 88888

 info@oasistiles.in

 www.oasistiles.in

DELHI OFFICE:

J-3/1, B1 Extn., 1st Floor,

Mohan Co-operative Ind. Estate,

New Delhi - 110 044, INDIA

 +91 99090 00574

 delhi@oasistiles.in

AHMEDABAD OFFICE:

GF-01, New York Tower - A,

Thaltej Cross Road, Thaltej,

Ahmedabad - 380 054, Gujarat, INDIA

 +91 99098 04646

 amd@oasistiles.in

BANGLORE OFFICE:

No. 25, 1st Floor, GR Mansion,

TC Palya Main Road, RM Nagar,

Bangalore - 560 016, Karnataka, INDIA

 +91 99747 42428

 karnataka@oasistiles.in

BHUBHNEHWAR OFFICE:

Plot No. 3951/8993, Puri Bypass Road,

Pandra, Bhubaneswar - 751 010,

Orrisa, INDIA

 +91 72289 53167

 orissa@oasistiles.in

INTERNATIONAL INQUIRY:

OASIS TILES INDIA

 +91 99099 88668

 export@oasistiles.in